



Thailand

Multiple Indicator Cluster Survey 2022

Summary of Key Indicators
March 2023



NSO
National Statistical Office



UNICEF
United Nations Children's Fund





Thailand

Multiple Indicator Cluster Survey 2022

Summary of Key Indicators

March 2023



DIVISION-IN-CHARGE

Social Statistics Planning and Development Group
Social Statistics Division
National Statistical Office
Tel. 0 2142 1375, 0 2142 1281
Fax 0 2143 7702
E-mail : social.plan@nso.go.th

DISTRIBUTED BY

Statistical Forecasting Division
National Statistical Office
The Government Complex,
Ratthaprasasanabhaki Building 2nd Floor,
Chaeng Watthana Rd. Laksi, Bangkok 10210
Tel. 0 2141 7498
Fax 0 2143 8132
E-mail : binfopub@nso.go.th

PUBLISHED

2023

PREFACE

The Global Multiple Indicator Cluster Survey (MICS) Programme was developed by UNICEF as an international multi-purpose household survey programme to support countries in collecting internationally comparable data on a wide range of indicators on the situation of children and women.

The National Statistical Office of Thailand (NSO) conducted its first MICS, which was part of MICS3 programme, in 2005-06. The current MICS is the fifth round under the global MICS6 programme. The survey provides one of the most important sources of alternative information to help monitor the progress of achieving the Sustainable Development Goals (SDGs).

The objective of publishing this report is to facilitate the timely and succinct dissemination of key indicators from the Thailand 2022 MICS. The main report, in turn, will contain detailed information on all survey findings by various demographic and socio-economic characteristics.

NSO would like to express our sincere gratitude to our partners especially UNICEF Thailand country office for their continuous support to complete Thailand 2022 MICS within stipulated time. We hope that the information from this report will be useful to various agencies, both public and private institutions and the general public.

TABLE OF CONTENTS

PREFACE	III
SUMMARY OF SURVEY IMPLEMENTATION AND THE SURVEY POPULATION	1
SAMPLE COVERAGE AND CHARACTERISTICS OF THE RESPONDENTS	3
THRIVE - REPRODUCTIVE AND MATERNAL HEALTH	4
THRIVE - CHILD HEALTH, NUTRITION AND DEVELOPMENT	7
LEARN	11
PROTECTED FROM VIOLENCE AND EXPLOITATION	14
LIVE IN A SAFE AND CLEAN ENVIRONMENT	15
EQUITABLE CHANCE IN LIFE	16



SUMMARY OF SURVEY IMPLEMENTATION AND THE SURVEY POPULATION

THAILAND MICS 2022			
Survey sample and implementation			
Sample frame ○ Updated	2022 Household Basic Information Survey (HBIS) October-December 2021	Questionnaires	Household Women (age 15-49) Men (age 15-49) Children under five Children age 5-14
Interviewer training	1 st batch: 9-17 June 2022 2 nd batch: 30 June-8 July 2022	Fieldwork	June-October 2022
Survey sample			
Households ○ Sampled ○ Occupied ○ Interviewed ○ Response rate (Per cent)	34,540 31,685 30,008 94.7	Children under five ○ Eligible ○ Mothers/caretakers interviewed ○ Response rate (Per cent)	10,638 10,502 98.7
Women (age 15-49) ○ Eligible for interviews ○ Interviewed ○ Response rate (Per cent)	21,663 21,089 97.4	Children age 5-14 ^B ○ Eligible ○ Mothers/caretakers interviewed ○ Response rate (Per cent)	10,615 10,450 98.4
Men (age 15-49) ^A ○ Eligible for interviews ○ Interviewed ○ Response rate (Per cent)	9,844 9,452 96.0		
^A The Individual Questionnaire for Men was administered to all men age 15-49 years in every second sampled household			
^B The Questionnaire for Children Age 5-14 was administered to one randomly selected child in each interviewed household			

Survey population			
Average household size	2.6	Percentage of population living in	
Percentage of population under:		○ Urban areas	54.8
○ Age 5	4.0	○ Rural areas	45.2
○ Age 18	18.5	○ Bangkok	16.0
Percentage of women age 15-49 years with at least one live birth in the last 2 years	5.7	○ Central	31.4
		○ North	15.6
		○ Northeast	24.2
		○ South	12.8



MICS 2022 Indicators and definitions

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
SAMPLE COVERAGE AND CHARACTERISTICS OF THE RESPONDENTS					
SR.1	Access to electricity	7.1.1	HC	Percentage of household members with access to electricity	99.9
SR.2	Literacy rate (age 15-24 years)		WB	Percentage of women and men age 15-24 years who are able to read a short simple statement about everyday life or who attended secondary or higher education	96.8
				Women Men	96.0
SR.5	Households with a television		HC	Percentage of households that have a television	89.7
SR.S1	Households with a mobile phone		HC	Percentage of households that have a mobile phone	96.0
SR.7	Households with a computer		HC	Percentage of households that have a computer	29.0
SR.8	Households with internet		HC	Percentage of households that have access to the internet by any device from home	82.6
SR.18	Children's living arrangements		HL	Percentage of children age 0-17 years living with neither biological parent	24.6
SR.19	Prevalence of children with one or both parents dead		HL	Percentage of children age 0-17 years with one or both biological parents dead	3.6
SR.20	Children with at least one parent living abroad		HL	Percentage of children age 0-17 years with at least one biological parent living abroad	1.9
SR.S2	Grandparent as a primary caregiver		HL	Percentage of children age 0-17 years not living with mother whose primary caregiver is the grandparent	70.6

¹ Sustainable Development Goal (SDG) Indicators, <http://unstats.un.org/sdgs/indicators/indicators-list/>. The Inter-agency Working Group on SDG Indicators is continuously updating the metadata of many SDG indicators and changes are being made to the list of SDG indicators. MICS covers many SDG indicators with an exact match of their definitions, while some indicators are only partially covered by MICS. The latter cases are included here as long as the current international methodology allows for only the way that the MICS indicator is defined, and/or a significant part of the SDG indicator can be generated by the MICS indicator. For more information on the metadata of the SDG indicators, see <http://unstats.un.org/sdgs/metadata/>.

² Some indicators are constructed by using questions in several modules in the MICS questionnaires. In such cases, only the module(s) which contains most of the necessary information is indicated.

³ All MICS indicators are or can be disaggregated, where relevant, by wealth quintiles, sex, age, language, migratory status and geographic location (as per the reporting domains), or other characteristics, as recommended by the Inter-agency Expert Group on SDG Indicators: <http://unstats.un.org/sdgs/indicators/Official%20List%20of%20Proposed%20SDG%20Indicators.pdf>

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
THRIVE - REPRODUCTIVE AND MATERNAL HEALTH					
TM.1	Adolescent birth rate	3.7.2	CM	Age-specific fertility rate for women age 15-19 years	18
TM.S1	Ever gotten pregnant		CM	Percentage of women age 15-49 years who have ever gotten pregnant	55.7
TM.2	Early childbearing		CM	Percentage of women age 20-24 years who have had a live birth before age 18	6.8
TM.3	Contraceptive prevalence rate		CP	Percentage of women age 15-49 years currently married or in union who are using (or whose partner is using) a (modern or traditional) contraceptive method	73.0
TM.S2	Source of modern contraceptive		CP	Percentage of women age 15-49 years who are using (or whose partner is using) a modern contraceptive received from a public medical facility.	52.0
TM.S3	Unmet need for family planning		UN	Percentage of women age 15-49 years currently married or in union with unmet need for family planning	8.9
TM.4	Need for family planning satisfied with modern contraception	3.7.1 & 3.8.1	UN	Percentage of women age 15-49 years currently married or in union who have their need for family planning satisfied with modern contraceptive methods	86.5
TM.S4	Cause of failure to prevent pregnancy		DB	Percentage of women age 15-49 years with a live birth in the last 2 years who did not wish to have last child and reported personal cause of failure to prevent pregnancy	97.7
TM.5a TM.5b TM.S5 TM.5c	Antenatal care coverage	3.8.1	MN	Percentage of women age 15-49 years with a live birth in the last 2 years who during the pregnancy of the most recent live birth were attended (a) at least once by skilled health personnel (b) at least four times by any provider (c) at least five times by any provider (d) at least eight times by any provider	98.8 88.3 85.5 60.7
TM.6	Content of antenatal care		MN	Percentage of women age 15-49 years with a live birth in the last 2 years who during the pregnancy of the most recent live birth, at least once, had blood pressure measured and gave urine and blood samples as part of antenatal care	97.8
TM.S6	Screening test for thalassemia		MN	Percentage of women age 15-49 years with a live birth in the last 2 years who during the pregnancy of the most recent live birth tested for thalassemia	93.3
TM.7	Neonatal tetanus protection		MN	Percentage of women age 15-49 years with a live birth in the last 2 years who during the pregnancy of the most recent live birth were given at least two doses of tetanus toxoid containing vaccine or had received the appropriate number of doses with appropriate interval prior to the most recent birth	76.0
TM.8	Institutional deliveries		MN	Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live birth was delivered in a health facility	99.5

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
TM.9	Skilled attendant at delivery	3.1.2	MN	Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live birth was attended by skilled health personnel	99.6
TM.10	Caesarean section		MN	Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live birth was delivered by caesarean section	40.9
TM.S7	Repeated caesarean section		MN	Percentage of women age 15-49 years with more than one live birth and had a live birth in the last 2 years whose most recent live birth was delivered by caesarean section who also reported caesarean section in the past.	70.3
TM.11	Infants weighed at birth		MN	Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live-born child was weighed at birth	98.8
TM.S8	Low birthweight		MN	Percentage of women age 15-49 years with a live birth in the last 2 years with a recorded or recalled birthweight estimated to have weighed below 2,500 grams at birth	10.3
TM.15	Skin-to-skin care		MN	Percentage of women age 15-49 years with a live birth in the last 2 years whose most recent live-born child was placed on the mother's bare chest after birth	5.6
TM.29	Comprehensive knowledge about HIV prevention among young people		HA	Percentage of women and men age 15-24 years who correctly identify two ways of preventing the sexual transmission of HIV ⁴ , who know that a healthy-looking person can be HIV-positive and who reject the two most common misconceptions about HIV transmission	
				Women Men	52.0 52.9
TM.30	Knowledge of mother-to-child transmission of HIV		HA	Percentage of women and men age 15-49 years who correctly identify all three means ⁵ of mother-to-child transmission of HIV	
				Women Men	61.7 53.1
TM.S9	Sexuality education in school		HA	Percentage of women and men age 15-24 years who received sexuality education in school	
				Women Men	89.7 83.1
TM.S10	Sexuality education in primary level		HA	Percentage of women and men age 15-24 years who received sexuality education in primary level	
				Women Men	25.1 27.9

⁴ Using condoms and limiting sex to one faithful, uninfected partner

⁵ Transmission during pregnancy, during delivery, and by breastfeeding

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
TM.S11	Sources of sexuality information other than school		HA	Percentage of women and men age 15-24 years who studied sexuality education in school and received sexuality information from sources other than school Women Men	87.9 98.0
TM.31	Discriminatory attitudes towards people living with HIV		HA	Percentage of women and men age 15-49 years reporting having heard of HIV who report discriminatory attitudes ⁶ toward people living with HIV Women Men	28.4 26.7
TM.32	People who know where to be tested for HIV		HA	Percentage of women and men age 15-49 years who state knowledge of a place to be tested for HIV Women Men	78.5 71.4
TM.33	People who have been tested for HIV and know the results		HA	Percentage of women and men age 15-49 years who report having been tested for HIV in the last 12 months and know their results Women Men	3.3 2.4
TM.34	Young people who have been tested for HIV and know the results		HA	Percentage of women and men age 15-24 years who have been tested for HIV in the last 12 months and know their results Women Men	3.2 1.5
TM.35a TM.35b	HIV counselling during antenatal care		HA	Percentage of women age 15-49 years with a live birth in the last 2 years who received antenatal care at least once by skilled health personnel during the pregnancy of the most recent live birth and during an ANC visit received (a) counselling on HIV ⁷ (b) information or counselling on HIV after receiving the HIV test results	66.3 54.6
TM.36	HIV testing during antenatal care		HA	Percentage of women age 15-49 years with a live birth in the last 2 years who received antenatal care at least once by skilled health personnel during the pregnancy of the most recent live birth and during an ANC visit were offered and accepted an HIV test and received test results	72.7
TM.S12	HIV testing during antenatal care (Husband)		HA	Percentage of women age 15-49 years with a live birth in the last 2 years who received antenatal care at least once during the pregnancy of the most recent live birth and during an ANC visit whose husband was tested for HIV	66.1

⁶ Respondents who answered no to either of the following two questions: 1) Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV? 2) Do you think children living with HIV should be able to attend school with children who are HIV negative?

⁷ Someone talked with the respondent about all three of the following topics: 1) Babies getting the HIV from their mother, 2) preventing HIV and 3) getting tested for HIV

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
THRIVE - CHILD HEALTH, NUTRITION AND DEVELOPMENT					
TC.1	Tuberculosis immunization coverage		IM	Percentage of children age 12-23 months who received BCG containing vaccine at any time before the survey	98.4
TC.S1	Polio immunization coverage		IM	Percentage of children age 12-23 months who received the third dose of Oral Polio Vaccine (OPV3) vaccines at any time before the survey	89.3
TC.3	Diphtheria, tetanus and pertussis (DTP) immunization coverage	3.b.1 & 3.8.1	IM	Percentage of children age 12-23 months who received the third dose of DTP containing vaccine (DTP3) at any time before the survey	88.7
TC.4	Hepatitis B immunization coverage		IM	Percentage of children age 12-23 months who received the third dose of Hepatitis B containing vaccine (HepB3) at any time before the survey	85.7
TC.8	Rubella immunization coverage		IM	Percentage of children age 12-23 months who received rubella containing vaccine at any time before the survey	92.8
TC.10	Measles immunization coverage	3.b.1	IM	Percentage of children age 12-23 months who received the first measles containing vaccine at any time before the survey	92.8
TC.S2	Encephalitis immunization coverage		IM	Percentage of children age 12-23 months who received the first encephalitis containing vaccine at any time before the survey	85.1
TC.11a TC.11b	Full immunization coverage ⁸		IM	Percentage of children who at age (a) 12-23 months had received all basic vaccinations at any time before the survey (b) 24-35 months had received all vaccinations recommended in the national immunization schedule	82.6 63.9
TC.15	Primary reliance on clean fuels and technologies for cooking		EU	Percentage of household members with primary reliance on clean fuels and technologies for cooking (living in households that reported cooking)	85.8
TC.17	Primary reliance on clean fuels and technologies for lighting		EU	Percentage of household members with primary reliance on clean fuels and technologies for lighting (living in households that reported the use of lighting)	99.8
TC.18	Primary reliance on clean fuels and technologies for cooking, and lighting	7.1.2	EU	Percentage of household members with primary reliance on clean fuels and technologies for cooking and lighting ⁹	86.3

⁸ Basic vaccinations include: BCG, 3 doses of polio, 3 doses of DTP, 4 doses of HepB (including HepB at birth) and 1 dose of measles vaccination. All vaccinations include BCG, 4 doses of polio, 4 doses of DTP, 4 doses of HepB (including HepB at birth), 1 dose of measles vaccination and 1 dose of Encephalitis as per the vaccination schedule in Thailand.

⁹ Household members living in households that report no cooking, or no lighting are not excluded from the numerator

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
TC.30	Children ever breastfed		MN	Percentage of most recent live-born children to women with a live birth in the last 2 years who were ever breastfed	97.3
TC.31	Early initiation of breastfeeding		MN	Percentage of most recent live-born children to women with a live birth in the last 2 years who were put to the breast within one hour of birth	29.4
TC.32	Exclusive breastfeeding under 6 months		BD	Percentage of infants under 6 months of age who are exclusively breastfed ¹⁰	28.6
TC.33	Predominant breastfeeding under 6 months		BD	Percentage of infants under 6 months of age who received breast milk as the predominant source of nourishment ¹¹ during the previous day	45.3
TC.34	Continued breastfeeding at 1 year		BD	Percentage of children age 12-15 months who received breast milk during the previous day	31.3
TC.35	Continued breastfeeding at 2 years		BD	Percentage of children age 20-23 months who received breast milk during the previous day	18.7
TC.36	Duration of breastfeeding		BD	The age in months when 50 percent of children age 0-35 months did not receive breast milk during the previous day	5.7
TC.37	Age-appropriate breastfeeding		BD	Percentage of children age 0-23 months appropriately fed ¹² during the previous day	28.2
TC.38	Introduction of solid, semi-solid or soft foods		BD	Percentage of infants age 6-8 months who received solid, semi-solid or soft foods during the previous day	87.7
TC.39a TC.39b	Minimum acceptable diet		BD	Percentage of children age 6–23 months who had at least the minimum dietary diversity and the minimum meal frequency during the previous day (a) breastfed children (b) non-breastfed children	47.8 73.9
TC.40	Milk feeding frequency for non-breastfed children		BD	Percentage of non-breastfed children age 6-23 months who received at least 2 milk feedings during the previous day	92.9
TC.41	Minimum dietary diversity		BD	Percentage of children age 6–23 months who received foods from 5 or more food groups ¹³ during the previous day	76.7

¹⁰ Infants receiving breast milk, and not receiving any other fluids or foods, with the exception of oral rehydration solution, vitamins, mineral supplements and medicines

¹¹ Infants who receive breast milk and certain fluids (water and water-based drinks, fruit juice, ritual fluids, oral rehydration solution, drops, vitamins, minerals, and medicines), but do not receive anything else (in particular, non-human milk and food-based fluids)

¹² Infants age 0-5 months who are exclusively breastfed, and children age 6-23 months who are breastfed and ate solid, semi-solid or soft foods

¹³ The indicator is based on consumption of any amount of food from at least 5 out of the 8 following food groups: 1) breastmilk, 2) grains, roots and tubers, 3) legumes and nuts, 4) dairy products (milk, infant formula, yogurt, cheese), 5) flesh foods (meat, fish, poultry and liver/organ meats), 6) eggs, 7) vitamin-A rich fruits and vegetables, and 8) other fruits and vegetables

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
TC.42	Minimum meal frequency		BD	Percentage of children age 6-23 months who received solid, semi-solid and soft foods (plus milk feeds for non-breastfed children) the minimum number of times ¹⁴ or more during the previous day	81.2
TC.43	Bottle feeding		BD	Percentage of children age 0-23 months who were fed with a bottle during the previous day	78.6
TC.44a TC.44b	Underweight prevalence		AN	Percentage of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median weight for age of the WHO standard	6.7 1.8
TC.45a TC.45b	Stunting prevalence	2.2.1	AN	Percentage of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median height for age of the WHO standard	12.5 4.9
TC.46a TC.46b	Wasting prevalence	2.2.2	AN	Percentage of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median weight for height of the WHO standard	7.2 2.5
TC.47a TC.47b	Overweight prevalence	2.2.2	AN	Percentage of children under age 5 who are above (a) two standard deviations (moderate and severe) (b) three standard deviations (severe) of the median weight for height of the WHO standard	10.9 5.2
TC.49a TC.49b TC.49c	Early stimulation and responsive care		EC	Percentage of children age 24-59 months engaged in four or more activities to provide early stimulation and responsive care in the last 3 days with (a) Any adult household member (b) Father (c) Mother	87.9 30.7 63.9
TC.50	Availability of children's books		EC	Percentage of children under age 5 who have three or more children's books	35.9
TC.51	Availability of playthings		EC	Percentage of children under age 5 who play with two or more types of playthings	84.6
TC.S3	Availability of electronic device as playthings		EC	Percentage of children under age 5 who play with electronic devices	61.9
TC.S4	Playtime with electronic devices		EC	Percentage of children under age 5 who play with electronic devices on average for three hours or more per day	13.0
TC.52	Inadequate supervision		EC	Percentage of children under age 5 left alone or under the supervision of another child younger than 10 years of age for more than one hour at least once in the last week	4.7

¹⁴ Breastfeeding children: Solid, semi-solid, or soft foods, two times for infants age 6-8 months, and three times for children 9-23 months; Non-breastfeeding children: Solid, semi-solid, or soft foods, or milk feeds, four times for children age 6-23 months.

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
TC.53	Early child development index (ECDI2030) ¹⁵	4.2.1	EC	Percentage of children age 24-59 months who are developmentally on track in health, learning and psychosocial well-being	77.8

¹⁵ The ECDI2030 is not comparable with the previous MICS ECDI because of the differences in methodological approaches.

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
LEARN					
LN.1	Attendance to early childhood education		UB	Percentage of children age 36-59 months who are attending an early childhood education programme	74.8
LN.2	Participation rate in organised learning (one year before the official primary entry age) (adjusted)	4.2.2	ED	Percentage of children in the relevant age group (one year before the official primary school entry age) who are attending an early childhood education programme or primary school	87.6
LN.3	School readiness		ED	Percentage of children attending the first grade of primary school who attended early childhood education programme during the previous school year	93.6
LN.4	Net intake rate in primary education		ED	Percentage of children of school-entry age who enter the first grade of primary school	77.4
LN.5a LN.5b LN.5c	Net attendance rate (adjusted)		ED	Percentage of children of (a) primary school age currently attending primary or secondary school (b) lower secondary school age currently attending lower secondary school or higher (c) upper secondary school age currently attending upper secondary school or higher	93.5 84.9 74.0
LN.6a LN.6b LN.6c	Out-of-school rate		ED	Percentage of children of (a) primary school age who are not attending any level of education (b) lower secondary school age who are not attending any level of education (c) upper secondary school age who are not attending any level of education	4.1 5.3 15.4
LN.7a LN.7b	Gross intake ratio to the last grade		ED	Ratio of children attending the last grade for the first time to children at appropriate age to the last grade (a) Primary school (b) Lower secondary school	99.0 90.7
LN.8a LN.8b LN.8c	Completion rate	4.1.2	ED	Percentage of children age 3-5 years above the intended age for the last grade who have completed that grade (a) Primary school (b) Lower secondary school (c) Upper secondary school	98.6 88.7 69.6
LN.9	Effective transition rate to lower secondary school		ED	Percentage of children attending the last grade of primary school during the previous school year and not repeating in the current school year who are attending the first grade of lower secondary school in the current school year	95.2
LN.10a LN.10b	Over-age for grade		ED	Percentage of children attending school who are at least 2 years above the intended age for grade (a) Primary school (b) Lower secondary school	1.4 2.4

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
LN.11a	Education Gender Parity Indices	4.5.1	ED, FL	Net attendance rate (adjusted) for girls divided by net attendance rate (adjusted) for boys	
				(a) Organised learning (one year younger than the official primary school entry age)	0.98
				(b) Primary school	1.00
				(c) Lower secondary school	1.03
				(d) Upper secondary school	1.21
				Percentage of girls with foundational learning skills divided by percentage of boys with foundational learning skills	
				(e) Reading, age 7-14 years	1.09
				(f) Numeracy, age 7-14 years	1.04
				(g) Reading, age for grade 2/3	1.08
				(h) Numeracy, age for grade 2/3	0.92
				(i) Reading, attending grade 2/3	1.15
				(j) Numeracy, attending grade 2/3	1.07
LN.12	Availability of information on children's school performance		PR	Percentage of children age 7-14 years attending schools for whom an adult household member received a report card for the child in the last year	93.2
LN.13	Opportunity to participate in school management		PR	Percentage of children age 7-14 years attending schools for whom their school's governing body is open to parental participation	78.6
LN.14	Participation in school management		PR	Percentage of children age 7-14 years attending school for whom an adult household member attended a school governing body meeting in the last year	59.4
LN.15	Effective participation in school management		PR	Percentage of children age 7-14 years attending school for whom an adult household member attended a school governing body meeting in the last year in which key education/financial issues were discussed	54.4
LN.16	Discussion with teachers regarding children's progress		PR	Percentage of children age 7-14 years attending school for whom an adult household member discussed child's progress with teachers in the last year	79.4
LN.S1	Discussion with teachers regarding children's behaviour		PR	Percentage of children age 7-14 years attending school for whom an adult household member discussed child's behaviour with teachers in the last year	76.2
LN.S2	Discussion with teachers regarding learning during COVID-19		PR	Percentage of children age 7-14 years attending school for whom an adult household member discussed on how to organize learning during COVID-19 with teachers in the last year	80.4
LN.17	Contact with school concerning teacher absence		PR	Percentage of children age 7-14 years attending school and unable to attend class due to teacher absence at least once in the last year for whom an adult household member contacted school representatives for this reason	59.7
LN.18	Availability of books at home		PR	Percentage of children age 7-14 years who have three or more books to read at home	40.0

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
LN.19	Reading habit at home		FL	Percentage of children age 7-14 years who read books or are read to at home	90.6
LN.20	School and home languages		FL	Percentage of children age 7-14 years attending school who at home speak the language that teachers use at school	95.7
LN.21	Support with homework		PR	Percentage of children age 7-14 years attending school and having homework who receive help with homework	75.4
LN.22a LN.22b LN.22c LN.22d LN.22e LN.22f	Children with foundational reading and numeracy skills	4.1.1	FL	Percentage of children who successfully completed three foundational reading tasks (a) Age 7-14 (b) Age for grade 2/3 (c) Attending grade 2/3 Percentage of children who successfully completed four foundational numeracy tasks (d) Age 7-14 (e) Age for grade 2/3 (f) Attending grade 2/3	71.3 47.1 51.5 65.0 39.8 41.8
LN.S3	Attended classes remotely during COVID-19 pandemic		CB	Percentage of children age 7-14 who attended classes remotely during COVID-19 pandemic in the last school year	91.4
LN.S4	Support for remote learning		CB	Percentage of children age 7-14 who attended classes remotely during COVID-19 pandemic in the last school year and received help for remote learning	73.2

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
PROTECTED FROM VIOLENCE AND EXPLOITATION					
PR.1	Birth registration	16.9.1	BR	Percentage of children under age 5 whose births are reported registered with a civil authority	99.8
PR.2	Violent discipline	16.2.1	UCD – FCD	Percentage of children age 1-14 years who experienced any physical punishment and/or psychological aggression by caregivers in the past one month	53.8
PR.4a PR.4b	Child marriage	5.3.1	MA	Percentage of women and men age 20-24 years who were first married or in union Women (a) before age 15 (b) before age 18 Men (a) before age 15 (b) before age 18	5.5 17.0 0.6 5.8
PR.5	Young people age 15-19 years currently married or in union		MA	Percentage of women and men age 15-19 years who are married or in union Women Men	7.7 2.7
PR.6	Polygyny		MA	Percentage of women and men age 15-49 years who are in a polygynous union Women Men	1.4 1.6
PR.7a PR.7b	Spousal age difference		MA	Percentage of women who are married or in union and whose spouse is 10 or more years older, (a) age 15-19 years (b) age 20-24 years	6.7 9.9
PR.12	Experience of robbery and assault		VT	Percentage of women and men age 15-49 years who experienced physical violence of robbery or assault within the last 12 months Women Men	0.2 0.4
PR.14	Safety	16.1.4	VT	Percentage of women and men age 15-49 years feeling safe walking alone in their neighbourhood after dark Women Men	76.7 91.0
PR.15	Attitudes toward domestic violence		DV	Percentage of women and men age 15-49 years who state that a husband is justified in hitting or beating his wife in at least one of the following circumstances: (1) she goes out without telling him, (2) she neglects the children, (3) she argues with him, (4) she refuses sex with him, (5) she burns the food Women Men	3.5 5.7

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
LIVE IN A SAFE AND CLEAN ENVIRONMENT					
WS.1	Use of improved drinking water sources		WS	Percentage of household members using improved sources of drinking water	99.7
WS.2	Use of basic drinking water services	1.4.1	WS	Percentage of household members using improved sources of drinking water either in their dwelling/yard/plot or within 30 minutes round trip collection time	99.6
WS.3	Availability of drinking water		WS	Percentage of household members with a water source that is available when needed	99.8
WS.7	Handwashing facility with water and soap	1.4.1 & 6.2.1	HW	Percentage of household members with a handwashing facility where water and soap or detergent are present	92.3
WS.8	Use of improved sanitation facilities		WS	Percentage of household members using improved sanitation facilities	99.8
WS.9	Use of basic sanitation services	1.4.1 & 3.8.1 & 6.2.1	WS	Percentage of household members using improved sanitation facilities which are not shared	98.2
WS.10	Safe disposal in situ of excreta from on-site sanitation facilities	6.2.1	WS	Percentage of household members in households with improved on-site sanitation facilities from which waste has never been emptied or has been emptied and buried in a covered pit	36.3
WS.11	Removal of excreta for treatment off-site	6.2.1	WS	Percentage of household members using an improved on-site sanitation facility from which a service provider has removed waste for treatment off-site	48.4

MICS INDICATOR		SDG ¹	Module ²	Definition ³	Value
EQUITABLE CHANCE IN LIFE					
EQ.2a EQ.2b EQ.2c	Health insurance coverage		WB CB UB	Percentage of women, men and children covered by health insurance (a) women age 15-49 men age 15-49 (b) children age 5-14 (c) children under age 5	97.5 97.8 98.5 97.4
EQ.3	Population covered by social transfers	1.3.1	ST	Percentage of household members living in households that received any type of social transfers and benefits in the last 3 months	71.2
EQ.5	Children in the households that received any type of social transfers		ST	Percentage of children under age 18 living in the households that received any type of social transfers in the last 3 months	74.2
EQ.7	Discrimination	10.3.1 & 16.b.1	VT	Percentage of women and men age 15-49 years having personally felt discriminated against or harassed within the previous 12 months on the basis of a ground of discrimination prohibited under international human rights law Women Men	10.1 11.9



Summary of Key Indicators

